



# P A D D L E S

A N D A C C E S S O R I E S



[www.braca-sport.com](http://www.braca-sport.com)  
production line • issue **12**  
**2012**

**OLYMPIC GAMES  
LONDON 2012**



**OFFICIAL SERVICE**




## MISSION AND PHILOSOPHY




BRAČA-SPORT® mission and philosophy is to design, develop and produce the best performing paddle for every paddler. We believe that each paddler has different needs and therefore each paddle should be uniquely designed. Different designs work better for different paddlers and environments. Our goal is to continue research, development and creation of a diverse range of products that satisfy the vast variety of paddlers. We are the only manufacturer to engineer paddles in every paddling category: **Canoe Polo, Dragon Boat, Flatwater, Freestyle, Marathon, Ocean Racing, Outrigger, Slalom, Touring, Waveski** and **Wildwater**. With a total of 130 different canoe and kayak paddles with over 400,000 configurations we have the right paddle for everyone.

Our paddles have been designed using the latest technology available, inspired by the comments and in collaboration with some of the world's most successful paddlers and coaches. We invented the revolutionary 'tear-drop' blade concept that redefined paddle performance and is now being copied by other manufacturers. This has become the 'de facto' blade in the paddling community and the world's only mechanical energy paddle concept.

We are the only manufacturer to engineer and produce carbon fabrics and paddles. This provides the ability to produce a very specific and fine grain unidirectional high modulus carbon (HMC) fabric layers in contrast to what is available in the market. The diverse range of specific and fine grain materials is the key improvement enabler of the paddle's performance characteristics.



### OLYMPIC GAMES AND WORLD CHAMPIONSHIPS MEDALS WON BY ATHLETES USING BRAČA-SPORT PADDLES





Together with proprietary multi-layer and multi-characteristic lay-up methods of a proprietary blend of composite fibers and a reinforced proprietary UV epoxy resin provides the ultimate mechanical and kinetic capabilities. This enables desired catch, slip, pull-through, flutter and acceleration of the paddle and guarantees these characteristics for every paddle produced, yielding the world acclaimed mechanical energy BRAČA-SPORT® paddle.

BRAČA-SPORT® was first to develop and produce paddles specifically designed for children and youth. Our proprietary material characteristics and mechanics of the paddle are specifically designed to fit children's physiology. It enables to absorb the impact from each paddle stroke, therefore reducing shock on the shoulders, elbows and wrists and ultimately decreasing common kayak injuries. The above technology methods are also used to design and develop paddles for recreational and senior paddlers.


### KEY FACTS

- Original inventor of the 'tear-drop' concept.
- The only manufacturer to engineer and produce carbon fabrics and paddles.
- World's first and only mechanical energy paddle.
- More than 300 years of combined engineering experience, including aerospace, advanced composite materials science, biomechanics and kinetics, mechanical, electrical, chemical and software engineering.
- Built to suit different styles, techniques and physical characteristics of each paddler.
- First to develop and produce paddles specifically designed for children and youth.
- Designer, developer and producer of the largest paddle selection in the world.



### RESULTS

- Used at every level, from world class athletes to children and recreational paddlers.
- Superb durability and outstanding performance.
- Over 750 Olympic Games and World Championships medals.
- The lowest breakage rate in the industry.
- The majority of today's world class paddlers make BRAČA-SPORT® their #1 choice.



## BRAČA I

Brača I max  
Brača I Marathon max  
Brača I Extra Light max  
Brača I min  
Brača I Marathon min  
Brača I Extra Light min  
Brača I s-min  
Brača I Extra Light s-min




**Brača I, IV and FW** are the original world's first 'tear-drop' design and our most widely used paddles. The paddles are designed to facilitate application of the power in the beginning (catch) and in the middle of the stroke, enabling capabilities to obtain the "ultimate" forward stroke

**Brača I** and **Brača IV** are available with Marathon blade construction. This is a result of advanced technology, a proprietary blend of composite materials and was designed with the marathon and adventure paddler in mind. The edge of the blade is reinforced with a kevlar layer that makes it highly impact resistant in extreme down river conditions.

**Brača I** and **Brača IV** are available in the extra light and stiff construction for the athlete who prefers light and stiff characteristics.

## BRAČA IV

Brača IV max  
Brača IV Marathon max  
Brača IV max 60  
Brača IV Extra Light max  
Brača IV min  
Brača IV Marathon min  
Brača IV min 60  
Brača IV Extra Light min  
Brača IV s-min  
Brača IV s-min 60  
Brača IV Extra Light s-min



**Brača IV 60** is designed for the paddler who prefers a softer blade and shaft.


**Brača Children** is an exact copy of the **Brača I** and **Brača IV** with proportionally smaller blade size and with proprietary material characteristics and mechanics of the paddle that are specifically designed to fit children's physiology. It enables absorption of impact from each paddle stroke, therefore reducing shock on the shoulders, elbows and wrists and ultimately decreasing common kayak injuries.

## BRAČA CHILDREN

Brača Children max  
Brača Children min  
Brača FW max  
Brača FW min



### SHAFT STIFFNESS MEASUREMENT PROCESS



# TEAR-DROP MODELS


## BRAČA II

- Brača II max
- Brača II Extra Light max
- Brača II min
- Brača II Extra Light min
- Brača II s-min
- Brača II Extra Light s-min



**Brača II** is based on **Brača I** design, it has an increased blade pitch (see diagram below), which provides a firmer 'catch' and more effortless exit than **Brača I**.

**Brača II** is available in the extra light and stiff construction for the athlete who prefers light and stiff characteristics.



$$\alpha_1 < \alpha_2 \text{ and } \beta_1 < \beta_2$$

## BRAČA VIII

- Brača VIII x-max
- Brača VIII max
- Brača VIII min



**Brača VIII** is a line of Brača paddles, based on the latest innovative blade concept.

It was designed and engineered to facilitate a softer catch and generation of the smooth, precise and consistent strokes.

**Brača VIII** is available in three blade sizes *min*, *max* and *x-max* to match the performance requirements of the vast variety of athletes.

### TECHNICAL PARAMETERS OF TEAR-DROP MODELS

	Blade			Shaft			Carbon content (%)		Weight (g/oz)	Extra Light model Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm) Kevlar Tips	Stiffness (mm)	Full Adjustable	4 pc split	Blade	Shaft		
Brača I max	840/130.2	52.0	17.5	2.2 - 2.3	o	o	100	100	795/28.0	680/24.0
Brača I Marathon max	840/130.2	52.0	17.5	2.2 - 2.3	o	o	100	100	750/26.5	
Brača I min	805/124.8	51.6	17.0	2.5 - 2.6	o	o	100	100	770/27.2	650/22.9
Brača I Marathon min	805/124.8	51.6	17.0	2.5 - 2.6	o	o	100	100	750/26.5	
Brača I s-min	790/122.2	51.4	16.9	2.5 - 2.6	o	o	100	100	750/26.5	620/21.9
Brača IV max	765/118.6	50.0	16.8	2.7 - 2.8	o	o	100	100	650/22.9	600/21.2
Brača IV Marathon max	765/118.6	50.0	16.8	2.7 - 2.8	o	o	100	100	670/23.6	
Brača IV max 60	765/118.6	50.0	16.8	3.2 - 3.4	o	o	50	60	780/27.5	
Brača IV min	735/113.9	49.5	16.3	2.9 - 3.0	o	o	100	100	650/22.9	580/20.5
Brača IV Marathon min	735/113.9	49.5	16.3	2.9 - 3.0	o	o	100	100	670/23.6	
Brača IV min 60	735/113.9	49.5	16.3	3.2 - 3.4	o	o	50	60	780/27.5	
Brača IV s-min	705/109.2	49.0	15.8	2.9 - 3.0	o	o	100	100	650/22.9	560/19.8
Brača IV s-min 60	705/109.2	49.0	15.8	3.2 - 3.4	o	o	50	60	780/27.5	
Brača FW max	635/98.4	45.3	15.1	3.1 - 3.2	o	o	100	100	600/21.2	
Brača Children max	635/98.4	45.3	15.1	4.7 - 4.9	o	o	50	60	750/26.5	
Brača FW min	610/94.5	45.0	14.4	3.1 - 3.2	o	o	100	100	600/21.2	
Brača Children min	610/94.5	45.0	14.4	4.7 - 4.9	o	o	50	60	750/26.5	
Brača II max	835/129.4	52.0	17.5	2.2 - 2.3	o	o	100	100	795/28.0	680/24.0
Brača II min	815/126.3	51.6	17.0	2.5 - 2.6	o	o	100	100	770/27.2	650/22.9
Brača II s-min	790/122.2	51.4	16.8	2.5 - 2.6	o	o	100	100	750/26.5	620/21.9
Brača VIII x-max	837/129.7	57.5	15.5	2.2 - 2.3	o	o	100	100	750/26.5	
Brača VIII max	799/123.8	57.4	15.0	2.5 - 2.6	o	o	100	100	750/26.5	
Brača VIII min	767/118.9	57.3	14.6	2.7 - 2.8	o	o	100	100	750/26.5	



## **BRAČA III**

Brača III  
Brača III 60



**Brača III** is the 'parallel-edge' model and is the preferred paddle of lighter male athlete.

**Brača III 60** is designed for the paddler who prefers a softer blade and shaft.

## **BRAČA V**



**Brača V** is the latest update of the traditional 'parallel edge' concept, recommended for paddlers who prefer this shape to the more aggressive 'tear-drop' shape.

## **BRAČA KID**

Brača Kid max  
Brača Kid min  
Brača Kid s-min



**Brača Kid** is a 'parallel-edge' blade with proportionally smaller blade size and with proprietary material characteristics and mechanics of the paddle that are specifically designed to fit children's physiology.

It enables absorption of impact from each paddle stroke, therefore reducing shock on the shoulders, elbows and wrists and ultimately decreasing common kayak injuries.

### TECHNICAL PARAMETERS OF PARALEL-EDGE MODELS

	Blade			Shaft			Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm) Kevlar Tips	Stiffness (mm)	Full Adjustable	4 pc split	Blade	Shaft	
Brača III	755/117.0	53.0	15.5	2.5 - 2.6	o	o	100	100	750/26.5
Brača III 60	755/117.0	53.0	15.5	3.2 - 3.4	o	o	50	60	850/28.3
Brača V	810/125.5	52.0	17.1	2.5 - 2.6	o	o	100	100	750/26.5
Brača Kid max	655/101.5	46.5	15.0	4.7 - 4.9	o	o	50	60	750/26.5
Brača Kid min	615/95.3	46.0	14.0	4.7 - 4.9	o	o	50	60	730/25.7
Brača Kid s-min	580/89.9	45.2	13.3	4.7 - 4.9	o	o	50	60	700/24.7

# EXTREME TEAR-DROP MODELS

## **BRAČA VI**

Brača VI max  
Brača VI min  
Brača VI s-min



**Brača VI** and **Brača VII** are designed with more extreme 'tear-drop' shape, which facilitates a very powerful catch.

This design facilitates application of all power in the beginning of the stroke (catch) only. In these models the blade is fitted into the shaft.

## **BRAČA VII**

Brača VII max  
Brača VII min  
Brača VII s-min



**Brača Junior** is an exact copy of the **Brača VI** and **Brača VII** with proportionally smaller blade size and with proprietary material characteristics and mechanics of the paddle that are specifically designed to fit children's physiology.

It enables absorption of impact from each paddle stroke, therefore reducing shock on the shoulders, elbows and wrists and ultimately decreasing common kayak injuries.

## **BRAČA JUNIOR**

Brača Junior max  
Brača Junior max 100  
Brača Junior min  
Brača Junior min 100



**Brača Junior 100** is also available in standard (100% carbon) construction.

### TECHNICAL PARAMETERS OF EXTREME TEAR-DROP MODELS

	Blade			Shaft			Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm) Kevlar Tips	Stiffness (mm)	Full Adjustable	4 pc split	Blade	Shaft	
Brača VI max	780/120.9	52.0	17.5	2.7 - 2.8	o	o	100	100	750/26.5
Brača VI min	765/118.6	51.7	17.1	2.9 - 3.0	o	o	100	100	750/26.5
Brača VI s-min	750/116.2	51.5	17.0	2.9 - 3.0	o	o	100	100	750/26.5
Brača VII max	745/115.4	49.3	16.7	2.9 - 3.0	o	o	100	100	700/24,7
Brača VII min	725/112.3	48.9	16.4	2.9 - 3.0	o	o	100	100	700/24,7
Brača VII s-min	710/110.0	48.7	16.2	2.9 - 3.0	o	o	100	100	700/24,7
Brača Junior max	685/106.2	48.7	15.5	3.2 - 3.4	o	o	50	60	800/28.2
Brača Junior max 100	685/106.2	48.7	15.5	2.7 - 2.9	o	o	100	100	600/21.2
Brača Junior min	665/103.1	48.4	15.2	3.2 - 3.4	o	o	50	60	800/28.2
Brača Junior min 100	665/103.1	48.4	15.2	2.7 - 2.9	o	o	100	100	600/21.2

## **BRAČA IX**

Brača IX max  
Brača IX min



**Brača IX** and **Brača X** is the line of Brača paddles, engineered using advanced kinetic, biomechanical and material science concepts to combine the best characteristics from multiple paddle designs into one hybrid model.

The revolutionary idea enables the paddle to provide different characteristics during each phase of the stroke (catch, drive and exit).

## **BRAČA X**

Brača X max  
Brača X min



It has a very firm catch, and then transitions to the smooth medium power drive and effortless and forgiving exit.

TECHNICAL PARAMETERS OF HIBRID (FUSION) MODELS

	Blade			Shaft			Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm) Kevlar Tips	Stiffness (mm)	Full Adjustable 4 pc-split	Blade	Shaft		
Brača IX max	765/118.6	52.0	16.2	2.5 - 2.6	o o	100	100	750/26.5	
Brača IX min	740/114.7	51.5	15.9	2.5 - 2.6	o o	100	100	750/26.5	
Brača X max	705/109.3	50.0	15.3	2.9 - 3.0	o o	100	100	650/22.9	
Brača X min	680/105.4	49.5	15.0	2.9 - 3.0	o o	100	100	650/22.9	





**Danuta Kozák** (Hungary)



**Inna Osypenko-Radomska** (Ukraine)



**Tim Brabants** (United Kingdom)



**Edvard McKeever** (United Kingdom)



**Yvonne Shuring, Viktoria Schwartz** (Austria)



**Marta Walczykiewicz** (Poland)



**Krisztina Zur** (USA)



**Josefa Idem** (Italy)





**Peter Gelle, Eric Vlček** (Slovakia)



**Arnaud Hybois, Sebastien Jouve** (France)



**Raman Petrushenka, Vadzim Makhnev** (Belarus)



**Markus Oscarsson, Henrik Nilssen** (Sweden)



**David Toth, Tamás Kulifai** (Hungary)



**Katalin Kovács, Danuta Kozák** (Hungary)



**Gabriella Szabó, Danuta Kozák, Katalin Kovács, Dalma Benedek** (Hungary)



**Tate Smith, David Smith, Stewart Hurray, Jacob Clear** (Australia)





**Marko Tomicevic** (Serbia)



**Miroslav Kirshev** (Bulgaria)



**Teresa Portela** (Portugal)



**Cesar De Cesare** (Ecuador)



**Jess Walker** (United Kingdom)



**Zomilla Hegyi** (Spain)



**Irina Pamialova, Nadzeya Papok, Volha Khudzenka, Maryna Paltaran** (Belarus)



**Dawid Putto, Denis Ambroziak** (Poland)

## **BRAČA CANOE GERE**

Brača Canoe Gere Standard  
Brača Canoe Gere Hard



**Brača Canoe Gere Standard** - designed using production techniques derived from many decades of experience delivering functionality to satisfy the requirements of the majority of athletes.

**Brača Canoe Gere Hard** - designed for the strong (90 kg / 198 lb plus) athlete, with added stiffness and is slightly heavier.

## **BRAČA CANOE GERE**

Brača Canoe Gere Neptun



**Brača Canoe Gere Neptun** - a unique design with the highest possible performance.

Lacquered and highly polished blade surface, pronounced shaping and the use of top quality materials give this blade superb finish and its outstanding properties.


TECHNICAL PARAMETERS OF CANOE GERE MODELS

	B l a d e						S h a f t			W e i g h t (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm)	Wooden	Neck Glass Fiber Carbon Oval Round	Stiffness (mm)	Carbon content (%) Full Adjustable	Wooden Handle		
Brača Canoe Gere Standard	908-1116/140.7-173.0	54 - 56	20 - 22	•	• • •	1.8 - 1.9	100 ◦ ◦	•	900/31.7	
Brača Canoe Gere Hard	908-1116/140.7-173.0	54 - 57	22 - 23	•	• • •	1.3 - 1.5	100 ◦ ◦	•	900/31.7	
Brača Canoe Gere Neptun	908-1116/140.7-173.0	54 - 56	20.5 - 22	•	• •	1.8 - 1.9	100 ◦ ◦	•	900/31.7	

# CANOE MODELS

## BRAČA CANOE

Brača Canoe 20  
Brača Canoe 21.5




**Brača Canoe 20** and **Brača Canoe 21.5** are an exact copy of the wooden blade paddle (see previous model **Brača Canoe Gere**).

This paddle has the same grip as a wooden paddle; with higher outer mechanical strength and impact resistance

## BRAČA CANOE MEDIUM

Brača Canoe Medium  
Brača Canoe Uni 2000



**Brača Canoe Medium** is designed with a stabilizing central spline on the blade. It has a specific, non-uniformly distributed catch.

This shape allows the paddler to perform the most effective straight strokes (it doesn't 'run aside') and steering against the wind becomes less complicated.

**Brača Canoe Uni 2000** uses the same shape as **Brača Canoe Medium** but has a wide range of sizes.

Size must be specified when ordering.

TECHNICAL PARAMETERS OF CANOE MODELS

	B l a d e			S h a f t		Wooden Handle	Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Width (cm)	Length (cm)	Stiffness (mm)	Full Adjustable		Blade	Shaft	
Brača Canoe 20	960/148.8	20	59	2.1 - 2.3	o o	•	100	100	700/24.7
Brača Canoe 21.5	1038/160.9	21.5	59	1.8 - 1.9	o o	•	100	100	750/26.5
Brača Canoe Medium	1038.9/160.9	21.5	59	1.8 - 1.9	o o	•	100	100	800/28.2
Brača Canoe Uni 2000	908-1116/140.7-173.0	{ 19 - 20    57 - 59 21 - 22    57 - 59 22.5 - 23    57 - 59	{ 19 - 20    57 - 59 21 - 22    57 - 59 22.5 - 23    57 - 59	{ 2.0 - 2.2    o o 1.8 - 1.9    o o 1.6 - 1.7    o o	{ • • •	{ 100 100 100	{ 100 100 100	{ 800/28.2 800/28.2 800/28.2	





**Attila Vajda** (Hungary)



**David Cal** (Spain)



**Vadim Menkov** (Uzbekistan)



**Ivan Shtyl** (Russia)



**Mathieu Goubel** (France)



**Jevgenij Shuklin** (Lithuania)



**Vladimir Fedosenko** (Russia)



**Iurii Chaban** (Ukraine)

# CANOE MODELS


## BRAČA CANOE CHILDREN



**Brača Canoe Children** is an exact copy of the **Brača Canoe Uni 2000** with proportionally smaller blade size and with proprietary material characteristics and mechanics of the paddle that are specifically designed to fit children's physiology.

It enables absorption of impact from each paddle stroke, therefore reducing shock on the shoulders, elbows and wrists and ultimately decreasing common canoe injuries.


## BRAČA CANOE UNI EXTRA WIDE



**Brača Canoe Uni Extra Wide** is the line of Brača canoe sprint paddles designed and engineered to enable a very quick and powerful catch.

This design facilitates application of all power in the beginning of the stroke (catch) and an effortless exit.

## BRAČA CANOE UNI SUPER FAT



**Brača Canoe Uni Super Fat** is the new line of Brača canoe sprint paddles designed and engineered to enable a quick, powerful and very smooth catch.

This design facilitates application of all power in the beginning of the stroke and an effortless exit, while preventing stress to the hand and wrist by absorbing the entrance shock, therefore making the catch extremely smooth and efficient.

TECHNICAL PARAMETERS OF CANOE MODELS

	B l a d e			S h a f t		Wooden Handle	Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Width (cm)	Width 2 (cm)	Length (cm)	Stiffness (mm)		Full Adjustable	Blade	
Brača Canoe Children	665-775/103.1-120.1	16 - 18.5		47 - 50	4.5 - 4.8	o o	•	100 100	640/22.6
Brača Canoe Uni Extra Wide	916-1097/142.0-170.0	{ 22 - 22.5 23 - 24 24.5 - 26		{ 48 - 50 50 50	{ 2.0 - 2.2 1.8 - 1.9 1.6 - 1.7	{ o o o o o o	{ • • •	{ 100 100 100 100 100 100	{ 680/24.0 720/25.4 780/27.5
Brača Canoe Uni Super Fat	916-1070/142.0-165.9	{ 21 - 22.5 23 - 24 24.5 - 25	{ 20 - 21.5 22 - 23 23.5 - 24	{ 48 - 50 50 50	{ 2.0 - 2.2 1.8 - 1.9 1.6 - 1.7	{ o o o o o o	{ • • •	{ 100 100 100 100 100 100	{ 680/24.0 720/25.4 780/27.5





**Maria Kazakova** (Russia)



**Laurence Vincent-Lapoite, Mallorie Nicholson** (Canada)



**Raimundas Labuckas, Tomas Gadeikis** (Lithuania)



**Alexandru Dumitrescu, Victor Mihalachi** (Romania)



**Victor Melantiev, Nicolay Lipkin** (Russia)



**Sergiy Bezugliy, Maksim Prokopenko** (Azerbaijan)



**Mark Oldershow** (Canada)



**Alexey Koravashkov, Ilya Pervukhin** (Russia)

# DRAGON, OUTRIGGER & STAND UP (SUP) MODELS

## **BRAČA DRAGON**



**Brača Dragon** paddle complies with the IDBF Paddle Specification 202a and is licensed or approved for competition use under the IDBF Governing Bodies Standard Racing Paddle Approval Scheme.

Brača Dragon paddles are authorized for use in Championship events, and all formal Sport Racing competitions, that is, those races held under the Competition Regulations and Racing Rules of the IDBF and its Members, and for any kind of informal competition, training or general dragon boating.

### **IDBF SPORT PADDLE**

*Specification 202a*  
Manufacturer's Mark



**(Brača Paddle)**

(Registered Manufacturer)

Licence Number: 3061

EACH BLADE CARRIES  
MANUFACTURER'S PADDLE MARK

## **BRAČA CANOE OUTRIGGER**

Brača Canoe Outrigger max  
Brača Canoe Outrigger min



**Brača Canoe Outrigger**, a lightweight, durable carbon paddle, modeled after a classic Hawaiian design.

## **BRAČA STAND UP**

Brača Stand Up max  
Brača Stand Up min  
Brača Stand Up s-min



**Brača Stand Up (SUP)** was specially designed for stand up surf paddling. The advanced kinetic characteristics with natural shock absorption are the signature of our mechanical energy paddle™.

### TECHNICAL PARAMETERS OF DRAGON, OUTRIGGER AND STAND UP (SUP) MODELS

	Blade		Shaft		Wooden Handle	Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm)	Stiffness (mm)		Full Adjustable	Blade	
Brača Dragon	specified by IDBF			2.7 - 2.9	o o	•	100 100	400/14.1
Brača Canoe Outrigger max	758/117.5	49	22.3	2.7 - 2.9	o o	•	100 100	500/17.6
Brača Canoe Outrigger min	735/113.9	48	21.3	2.7 - 2.9	o o	•	100 100	460/16.2
Brača Stand Up (SUP) max	730/113.2	49	22.3	} 2.7 - 2.9	o o	•	100 100	580/20.5
Brača Stand Up (SUP) min	650/100.8	48	21.3					540/19.0
Brača Stand Up (SUP) s-min	590/91.4	47.2	20.8					500/17.6



## **BRAČA TYPHOON**

Brača Typhoon 20  
Brača Typhoon 60  
Brača Typhoon 100



**Brača Typhoon** has been designed to provide well balanced characteristics of lightness, ease of use and extreme durability.

The Typhoon has a very clean center spline, incorporated into the blade for optimal tracking stability.

Its exceptional strength fully withstands intense conditions and performs flawlessly in the open ocean, rivers and lakes.

## **BRAČA TORNADO**

Brača Tornado 20  
Brača Tornado 60  
Brača Tornado 100



**Brača Tornado** is our non-spline paddle model.

It is designed to provide very clean and efficient paddle strokes, delivers increased power for acceleration and is optimized for work in the surf zone.

Its exceptional strength fully withstands intense conditions and performs flawlessly in the extreme conditions of the open ocean.



# TRADITIONAL MODELS

## BRAČA HURRICANE

- Brača Hurricane 20 max
- Brača Hurricane 20 min
- Brača Hurricane 60 max
- Brača Hurricane 60 min
- Brača Hurricane 100 max
- Brača Hurricane 100 min




**Brača Hurricane** is the latest paddle in the Brača touring line.

Its design is based on the Typhoon, with the following modifications: slightly reduced blade surface area and offset spline height to provide more efficient catch, tracking and exit.

Its exceptional strength fully withstands intense conditions and performs flawlessly in the open ocean, rivers and lakes.

This is a perfect paddle for touring and long races for the paddler who prefers a traditional shape over a wing blade.

All traditional sea kayak models have carbon reinforced tips.




### TECHNICAL PARAMETERS OF TRADITIONAL MODELS

	Blade			Shaft			Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm) Kevlar Tips	Stiffness (mm)	Full Adjustable	2 pc split	Blade	Shaft	
Brača Typhoon 20	690/106.9	47.2	18.7 •	4.3 - 4.6	o	o	50	20	900/31.7
Brača Typhoon 60	690/106.9	47.2	18.7 •	3.2 - 3.4	o	o	75	60	840/29.6
Brača Typhoon 100	690/106.9	47.2	18.7 •	2.7 - 2.9	o	o	100	100	700/28.3
Brača Tornado 20	675/104.6	46.0	17.9 •	4.7 - 4.9	o	o	50	20	900/31.7
Brača Tornado 60	675/104.6	46.0	17.9 •	3.3 - 3.5	o	o	75	60	840/29.6
Brača Tornado 100	675/104.6	46.0	17.9 •	2.8 - 2.9	o	o	100	100	700/28.3
Brača Hurricane 20 max	720/111.6	48.0	18.7 •	4.7 - 4.9	o	o	50	20	900/31.7
Brača Hurricane 20 min	660/102.3	46.0	17.5 •	4.7 - 4.9	o	o	50	20	900/31.7
Brača Hurricane 60 max	720/111.6	48.0	18.7 •	3.3 - 3.5	o	o	75	60	840/29.6
Brača Hurricane 60 min	660/102.3	46.0	17.5 •	3.3 - 3.5	o	o	75	60	840/29.6
Brača Hurricane 100 max	720/111.6	48.0	18.7 •	2.8 - 2.9	o	o	100	100	700/28.3
Brača Hurricane 100 min	660/102.3	46.0	17.5 •	2.8 - 2.9	o	o	100	100	700/28.3

## **BRAČA SLALOM KINETIC**



**Brača Slalom Kinetic** is a strong, tough and durable paddle with aluminum reinforced tips for added impact resistance.




## **BRAČA SLALOM SOČA**

Brača Slalom Soča max  
Brača Slalom Soča min



**Brača Slalom Soča** is the line of Brača kayak slalom and freestyle paddles designed and engineered to enable fast, firm and smooth insertion into the water and an extremely efficient stroke. The blade has a unique spoon-leaf shape with sharp edges, CNC core worksheet of very durable and tough core, sandwich titanium stiffener and 12 mm wide solid edge High Modulus Unidirectional Carbon throughout the end of district.

Our revolutionary molding technology process assures that the blade shape is intact and guarantees production of all paddles to be identical and precise. The paddle is intended for hard driver, who loves the feeling of water in the shot.



# SLALOM AND FREESTYLE MODELS


## **BRAČA SLALOM SJOA**

Brača Slalom Sjoa max  
Brača Slalom Sjoa min



**Brača Slalom Sjoa** is the new line of Brača kayak slalom and freestyle paddles designed and engineered to enable a very fast and effective management of the stroke and maneuverability. This design facilitates the ultimate control of the stroke in every phase.

The blade has flat surface in two horizontal and vertical lines, CNC core worksheet of very durable and tough core, sandwich titanium stiffener and 12 mm wide solid edge High Modulus Unidirectional Carbon throughout the end of district. Our revolutionary molding technology process assures that the blade shape is intact and guarantees production of all paddles to be identical and precise.



## **BRAČA SLALOM ERGO SHAFT**



### TECHNICAL PARAMETERS OF SLALOM AND FREESTYLE MODELS

	Blade			Aluminium	Stiffness (mm)	Shaft			Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm)			Full	Ergo shaft	Adjustable	Blade	Shaft	
Brača Slalom Kinetic	695/107.7	45.5	19.9	•	Hard 2.6 - 2.8 Medium 3.5 - 3.7 Soft 4.2 - 4.5	◦ ◦ ◦	◦ ◦ ◦	100	100	740/26.1	
Brača Slalom Soča max Brača Slalom Soča min	735/113.9 695/107.7	48.5 47.9	21 20	•	Hard 2.6 - 2.8 Medium 3.5 - 3.7 Soft 4.2 - 4.5	◦ ◦ ◦	◦ ◦ ◦	100 100	100 100	750/26.4 730/25.8	
Brača Slalom Sjoa max Brača Slalom Sjoa min	724/112.2 695/107.7	47.0 46.5	20.5 19.7	•	Hard 2.6 - 2.8 Medium 3.5 - 3.7 Soft 4.2 - 4.5	◦ ◦ ◦	◦ ◦ ◦	100 100	100 100	740/26.1 720/25.4	





**Rosalyn Lawrence** (Australia)



**Michal Buchtel** (Czech Republic)



**Stefano Cipressi** (Italy)



**Omar Raiba** (Italy)



**Mariano Bifano** (Italy)



**Tim Jacobs** (Australia)



**Casey Eichfeld** (USA)



**Maxim Richard** (Belgium)

# DOWN RIVER MODELS

## **BRAČA DOWN RIVER**



**Brača Down River** is the new line of Brača paddles designed, constructed and optimized specifically for downriver competition. It was engineered to facilitate a very sharp catch enabling quick and maximum velocity control of the boat.

**Brača Down River** is available with stiff and soft shaft construction options. The edge of the blade is reinforced with a kevlar layer that makes it highly impact resistant in extreme down river conditions.

## **BRAČA IV**

Brača IV Marathon max  
Brača IV Marathon min



**Brača IV** are available with Marathon blade construction. This is a result of advanced technology, a proprietary blend of composite materials and was designed with the marathon and adventure paddler in mind. The edge of the blade is reinforced with a kevlar layer that makes it highly impact resistant in extreme down river conditions.

### TECHNICAL PARAMETERS OF DOWN RIVER MODELS

	Blade			Shaft			Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm) Kevlar Tips	Stiffness (mm)	Full Adjustable 4 pc split Shaft code	Blade	Shaft		
Brača Down River	705/109.3	49.0	15.2 •	{ Hard 2.7 – 2.9 Soft 3.2 – 3.4	◦ ◦	⑪	100	100	580/20.5
					◦ ◦	⑩	100	60	630/22.2
Brača IV Marathon max	765/118.6	50.0	16.8 •	2.7 – 2.8	◦ ◦		100	100	670/23.6
Brača IV Marathon min	735/113.9	49.5	15.3 •	2.9 – 3.0	◦ ◦		100	100	670/23.6

**Brača-sport®**  
PADDLES

IN ACTION



**Michal Smolen** (USA)



**Ondrej Rolenc** (Czech Republic)




## BRAČA CANOE SLALOM ROCKY

Braća Canoe Slalom Rocky 1 max  
Braća Canoe Slalom Rocky 1 min  
Braća Canoe Slalom Rocky 2 max  
Braća Canoe Slalom Rocky 2 min



**Braća Canoe Slalom Rocky** was engineered using advanced kinetic, bio-mechanical and material science concepts to produce the strongest and lightest paddle possible, matching the performance and durability requirements of a vast variety of athletes. The blade has an aluminum-titanium alloy reinforced tip and 12 mm wide solid edge High Modulus Unidirectional Carbon throughout the end of the edges for added impact resistance. Our revolutionary molding technology process assures that the blade shape is intact and guarantees production of all paddles to be identical and precise.



## BRAČA DOWN RIVER CANOE ON ROLL



**Braća Down River Canoe ON Roll** is the new line of Braća down river paddles designed and engineered to enable a very fast and effective management of the stroke and maneuverability.

It was constructed to be extremely light and durable. The blade has a CNC PVC foam worksheet of very durable and tough core, sandwiched aluminum-titanium alloy stiffener and 12 mm wide solid edge High Modulus Unidirectional Carbon throughout the end of the edges. Our revolutionary molding technology process assures that the blade shape is intact and guarantees production of all paddles to be identical and precise.


**Braća Slalom, Freestyle and Down River Canoe Shafts** are designed and engineered specifically for each canoe discipline. These are the recommended shafts for corresponding disciplines:

- Soft Standard* and *Soft Minus* – designed for Down River
- Medium minus (29mm)* – designed for Down River
- Medium minus (31 mm)* – designed for the C-1 paddler

*Medium Standard* – designed for the C-2 bow paddler

*Medium Plus* – designed for the C-2 stern paddler

*Hard Standard* and *Hard Plus* – designed for the heavier C-2 stern paddler



TECHNICAL PARAMETERS OF CANOE SLALOM ROCKY & DOWN RIVER ON ROLL MODELS

	Blade			Aluminium	Stiffness (mm)	Shaft			Additional properties	Handle Diameter (mm)	Carbon content (%) Blade Shaft	Paddle weight (g/oz)	
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm)			Full Diameter A-A (mm)	Weight (g/oz)						
Braća Canoe Slalom Rocky 1 max	835/129.4	50	20.6	•	Hard Standard 2.4 - 2.6	29	169/5.96	Extra carbon	32	100 100	560/19.8		
Braća Canoe Slalom Rocky 1 min	805/124.8	49	20.2		Hard Plus 2.4 - 2.6	29	180/6.35					Extra carbon & aramith	
Braća Canoe Slalom Rocky 2 max	835/129.4	50	20.6		Medium Minus 2.8 - 2.9	29	158/5.57						
Braća Canoe Slalom Rocky 2 min	805/124.8	49	20.2		Medium Minus 2.5 - 2.7	31	155/5.47					Extra carbon	
Braća Down River On Roll	745/115.4	48	20.5		Medium Standard 2.6 - 2.8	29	169/5.96						Extra carbon & aramith
					Medium Plus 2.6 - 2.8	30	180/6.35						
				Soft Minus 3.0 - 3.1	29	145/5.11	Extra carbon	37	100 100	550/19.4			
				Soft Standard 3.0 - 3.1	29	155/5.47							

# CANOE POLO MODELS

## BRAČA POLO SPOON



**Brača Polo Spoon** is recommended for defensive play and for goaltenders. It has superb ball handling ability.

Because of the nature of their use, these paddles are made from highly impact resistant materials. The blade has an impact resistant edge all around and is filled with reinforced Polystyrol foam.


## BRAČA POLO KINETIC

- Brača Polo Kinetic max
- Brača Polo Kinetic min
- Brača Polo Kinetic 60 max
- Brača Polo Kinetic 60 min



**Brača Polo Kinetic** has unique non-slip bands on the blades to enable extra control when handling the ball. It is ideally suited for offensive play with excellent sprint characteristics and ball control.

Because of the nature of their use, these paddles are made from highly impact resistant materials. The blade has an impact resistant edge all around and is filled with reinforced Polystyrol foam.



TECHNICAL PARAMETERS OF CANOE POLO MODELS

	B l a d e			S h a f t			Carbon content (%)		Weight (g/oz)
	Surface Area (sq.cm/sq.in)	Length (cm)	Width (cm) Kevlar Tips	Stifness (mm)	Full Adjustable 2 pc split	Blade	Shaft		
Brača Polo Spoon	690/106.9	43.5	19.8 •	Hard 2.2 - 2.3	◦	100	80	900/31.7	
Brača Polo Kinetic max	735/113.9	46	20.7 •	Hard 2.2 - 2.3 Medium 2.4 - 2.5 Soft 4.2 - 4.5	◦	100	80	900/31.7	
Brača Polo Kinetic min	660/102.3	45.5	19.6 •						
Brača Polo Kinetic 60 max	735/113.9	46	20.7 •	Soft 4.2 - 4.5	◦	70	80	980/34.6	
Brača Polo Kinetic 60 min	660/102.3	45.5	19.6 •						





**Markus Swoboda (Austria)**



**Antonio De Diego Alvarez (Spain)**



**Fernando Fernandes De Padua (Brasil)**




**Antonio De Diego Alvarez (Spain),  
Fernando Fernandes De Padua (Brasil),  
Alexey Malyshev (Russia)**




# SHAFTS

## ADJUSTABLE SHAFT SYSTEM II

System II for kayak paddles




System II for canoe and Stand UP paddles




## ADJUSTABLE SHAFT SYSTEM III

System III for children canoe paddles



System III for Dragon and Outrigger paddles




All kayak, canoe and Stand UP (SUP) paddles are available with the adjustable shaft option **System II**. **System III** option is used for Children Canoe, Dragon and Outrigger paddles.

Adjustable system allows elegant adjustment of feathering angle from 0° to 80° right or left in 5° increments.

Both adjustable shaft systems approximately add 40 g / 1.41 oz to the paddle weight.


## SPLIT SHAFT SYSTEM



Sea kayak and touring paddles are available with a two piece split shaft option.

The system adds approximately 20 g / 0.7 oz to the paddle weight.

## SHAFT STIFFNESS MEASUREMENT PROCESS




## IMPORTANT NOTICE:

**!** *If used in salt water conditions the paddle should be thoroughly rinsed in fresh water immediately after use.*

*If used in fresh water conditions, the paddle should be thoroughly rinsed and cleaned every two weeks.*

## HUNGARY CANOEIST GABOR RAKONCZAY COMPLETED ATLANTIC TREK



### The boat and her sailor

The sea-going canoe:

One-man (single-handed) ocean canoe fitted with keel.

Designed and built by: Nandor Fa and Fa Hajó Ltd

Key details:

Weight: 200 kg (net), about 450 kg (gross) (444/1000 lbs)

Length overall: 7.5 m (24'8")

Maximum beam: 1.2 m (3'11.2")

Draft: 1 m (3'3.4")

Keel: 30 kg (67 lbs)

The crew:

Gabor Rakonczay: male member of the first Hungarian double-handed Atlantic crossing rowing expedition, with rowing and sailing experiences of thousands of nautical miles behind him. He trained Sarah Outen who was rowing across the Indian Ocean with 3 world records.

Equipment:

2 carbon fiber reinforced Braća Outrigger canoe paddles

Hand-held water maker (Katadyn 35)

Iridium satellite phone

2 waterproof, shockproof military notebook (M34 and CF-18)

2 handheld GPS

EPIRB

Inverter

Argos buoy (tracking system)

Wind Indicator

Magnetic compass

Radar Reflector

Position lights

Waterproof digital camera

Waterproof videocamera

2 head torches

Ropes

Flags

Long lasting, rechargeable batteries

GPS Chart Plotter

And many more ...

After 76 days, Gabor Rakonczay – isolated and incommunicado for nearly 50 of those after his canoe capsized –

**has become the first person to paddle across the Atlantic Ocean from Europe to the Caribbean.**



# ACCESSORIES

## BRAČA COVERS FLAT



To protect paddles from damage, we offer covers made of special, highly durable fabrics, constructed with tear-resistant micro ripstop nylon and closed-cell foam padding.

The covers are stitched with heavy duty thread, reinforced ends and heavy duty zippers.

The Brača-Sport Universal paddle cover adapts to fit different blade sizes, shaft types (*full, split and adjustable*) and adjusts to accommodate different shaft lengths.

## BRAČA COVERS WILD



	Material	Length (cm)
Universal Kayak Cover	Nylon	200 - 227
Universal Canoe Cover	Nylon	155 - 190
Universal Dragon Cover	Nylon	120 - 135

## BRAČA HI-TECH SHIRT



The ultimate technical shirt for kayaking, canoeing and other activities. Features comfortable protection combined with lightweight, moisture-wicking, highly breathable fabric for the ultimate racing, training and recreational experience.

Fabric wicks moisture away from the body and allows you to dry quickly when you sweat or when you get wet.

Brača High-Tech T-shirt	Material	Sizes							
		XXS	XS	S	M	L	XL	XXL	XXXL
Men's	DryClim		+	+	+	+	+	+	+
Women's	DryClim		+	+	+	+	+		
Boy's	DryClim	+	+	+					
Girl's	DryClim	+	+	+					

## BRAČA PERFORMANCE SHIRT



The BRAČA-SPORT® Performance Thermal shirt is engineered for high-performance workouts and competition and offers a unique balance between zoned thermal compression and ventilation and provides superior moisture management capabilities.

- Provides enhanced airflow and highly breathable.
- Transports moisture away from the body and keeps the skin dry.
- Reduces skin temperature during intense workout and competition.

Sizes: XS, S, M, L, XL (Unisex).

## BRAČA POGIES



Brača-Sport Pogies provide water and wind protection for your hands while still allowing direct hand contact with your paddle.

# ACCESSORIES

## **BRAČA BACKPACK**



This high-performance technical pack designed for carrying all your daily essentials belongings with ease.

- Panel-loading main compartment offers plenty of room for gear and clothing
- Dual side mesh water bottle pockets to keep bottles from bouncing around
- Adjustable padded shoulder straps and padded backpanel offer load-carrying comfort

## **BRAČA SPRYSKIRT**



Brača-Sport spry skirts designed to fit all ICF and most fitness touring kayaks and have been tested by Brača's R&D team in all weather conditions.

- Features a wide comfortable neoprene and Velcro® adjustable waistband.
- Durable mid-weight nylon is coated for total water resistance.
- Strong bungee rim gripping system secures skirt firmly to the cockpit.
- Double-stitched construction with sealed seams ensures long-lasting wear and water resistance.

## **BRAČA CAP**



Brača-Sport Cap is great fitting and perfect for everyday and after sport use.

- 100% cotton construction is durable and comfortable for long-lasting wear.
- Velcro® closure quickly adjusts to the right size for your head.
- Anti-glare lower brim eliminates light reflection and distraction.
- Low-profile, relaxed fit is perfect for both men and

## **BRAČA CANOE KNEE PAD**



Brača Canoe Knee Pad made from lightweight and durable closed mini-cell foam that can be shaped for a custom fit and superior comfort.




**BRACA-SPORT - LITHUANIA**  
Contact person: **Arūnas Tomkevičius**  
Taikos pr. 159/A, LT-52102 Kaunas, LITHUANIA  
Phone: +370 37 474 033  
Fax: +370 37 474 035  
E-mail: braca-lt@braca-sport.com



**BRACA-SPORT - HUNGARY**  
Contact person: **András Trebitsch**  
Törökvész út. 16/A, 1022 Budapest, HUNGARY  
Phone: +36 1 326 8853  
Fax: +36 1 336 1835  
Mob.phone: +36 20 934 2823  
E-mail: braca-hu@braca-sport.com

R E P R E S E N T A T I V E S



Representative for **ALBANIA, BOSNIA and HERZEGOVINA, CROATIA**  
**BRANKO MARKOTA, CEO**  
Organizational Marketing Markota Ltd.  
Dvojkočevci put 18c  
10000 Zagreb  
**CROATIA**  
Phone: +385 1 3737 417  
Fax: +385 1 3737 418  
http://www.rowing-shop.hr



Representative for **ARGENTINA and BRASIL**  
Representative: **Peter Rasztovich**  
Contact person: **Francisco Vizcaino**  
11 de Septiembre 1460, CP1426,  
Capital Federal  
**REPUBLICA ARGENTINA**  
Phone: +54 9 11 5691 7085  
E-mail: braca-sport@fibertel.com.ar



**CANOE INNOVATIONS**  
Contact person: **Steven Vegh**  
Factory 4/14, Hartnett Drv. Seaford,  
3198 Victoria  
**AUSTRALIA**  
Phone: +61 3 87 963 100  
Fax: +61 3 87 963 100  
Mob.phone: +61 4 14 575 311  
E-mail: canoeinnovations@bigpond.com



**BULGARIAN PROPERTIES MONTANA Ltd.**  
Contact Person: **Dimitar Ivanov**  
1164 Ykubitsa str. 18 fl.5,  
Sofia  
**BULGARIA**  
Phone: +359 88 5077 771  
E-mail: braca.bulgaria@yahoo.com



**BRACSA PADDLES CANADA**  
Contact person: **Kati Latorovszki**  
14. Old Oakes Dr., Waverly,  
N.S., B2R 1E7  
**CANADA**  
Phone: +1 902 860 3697  
Fax: +1 902 860 1362  
Mob.phone: +1 902 229 9273  
E-mail: latorovszki@accesswave.ca



**STARLINE RACING BOATS COMPANY**  
Contact person: **Kenneth Hung**  
Unit 1002, 10/F New Trend Centre,  
704 Prince Edward Road East, Kowloon,  
HONG KONG  
**PEOPLE'S REPUBLIC OF CHINA**  
Phone: +852 2558 8677  
Fax: +852 2558 2864  
Mob.phone: +852 9168 3985  
E-mail: kenneth@starlineboat.com  
kennethrowing@hotmail.com  
http://www.starlineboat.com  
Hong An Da: +86 136 1280 8431  
Pei Sheng Boat: +86 21 5085 5539  
Fucunjiang Boat: +86 133 8653 2188



**MS COMPOSITE**  
Contact person: **Jiří Mačkal**  
Dobrkovská Lhotka 76,  
CZ 37401 Trhové Sviny  
**CZECH REPUBLIC**  
Phone: +420 384 972 911  
Fax: +420 384 972 913  
Mob.phone: +420 602 735 101  
E-mail: shop@kayakcentrum.com  
http://www.braca-sport.cz



**KANO & KAJAK BUTIKKEN**  
Contact person: **Peter Lillelund**  
Skovshoved Havn 10 A,  
DK-2920 Charlottelund  
**DENMARK**  
Phone: +45 3990 8989  
Fax: +45 3990 8983  
E-mail: kano@kajak.dk  
http://www.kajak.dk



**WELHONPESÄ OY**  
Contact person: **Juhani Holmi**  
Kauppakujja 10, P.O.Box 25,  
01800 Klaukka  
**FINLAND**  
Phone: +358 9 879 8886  
Fax: +358 9 879 8886  
Mob.phone: +358 40 544 2501  
E-mail: welho@nettilinja.fi  
http://www.welhonpesa.fi



**BRACA-FRANCE**  
Contact person: **Sari Suranyi**  
2 rue de Belvédère, 25220 Chaléze  
**FRANCE**  
Phone: +33 3 81 612 075  
Mob.phone: +33 6 07 508 232  
E-mail: patrick.suranyi@wanadoo.fr  
http://www.kayak-online.fr  
http://www.suranyi.fr



**GUSSER KANUSPORT GmbH**  
Contact persons: **Michael Gußer**  
and **Peter John**  
Zossener Straße 44c, 15838 Am Mellensee  
**GERMANY**  
Phone: +49 337 036 8137  
Fax: +49 337 036 8138  
Mob.phone: +49 171 681 4844 (Michael)  
+49 176 611 90069 (Peter)  
E-mail: info@gusser-kanusport.de  
http://www.gusser-kanusport.de



Representative for touring paddles  
**KANU-CONNECTION GmbH**  
Contact person: **André Wohlbe**  
KanuHalle, Soltauer Straße 26/30  
10 509 Berlin - Reinickendorf  
**GERMANY**  
Phone: +49 30 612 2686  
Fax: +49 30 612 7137  
Mob.phone: +49 0179 597 5157  
E-mail: info@kanu-connection.de  
http://www.kanu-connection.de



**ALL ABOUT SPORT**  
Contact persons: **Kyriakos Zarouleas**  
4 Evropolis str., Ag. I. Rentis  
GR 18233 Athens  
**GREECE**  
Phone: +30 210 482 9974  
+30 211 012 0026  
Mob.phone: +30 697 669 3342  
Fax: +30 210 482 9974  
E-mail: aas@aasport.gr  
http://www.aasport.gr



**SUNNY WATER SPORTS PVT Ltd.**  
Contact person: **Sunny Sebastian**  
A-1 / A-1 Indraprastha Apartments  
Laxmi Nagar, Chinchwad,  
Pune 411 033  
**INDIA**  
Phone: +91 20 727 4264  
+91 20 727 3733  
Fax: +91 20 727 4494  
E-mail: sunnytrpboat@vsnl.net



**MILAD CANOE EQUIPMENT**  
Contact person: **Mohsen Milad**  
Tehran P.O.Box 14155-1755  
**IRAN**  
Phone: +98 21 405 8581  
Mob.phone: +98 912 148 8794  
E-mail: milad\_canoe@yahoo.com



Representative for **ITALY**  
**REGATA 2000 Bt**  
Contact person: **Tóth Árpai**  
2092 Budakeszi, Bibó. 2/a  
**HUNGARY**  
Phone: +36 23 450 212  
Fax: +36 23 450 212  
Mob.phone: +36 20 3338 033  
E-mail: regata2000.bt@gmail.com

Contact person: **Cellamare Antonio**  
Via Cavour N. 14,  
Cellamare (Bari) Cap. 70010  
**ITALY**  
Phone: +39 340 398 1328  
E-mail: antoncell@hotmail.com



**FLAT WATER Co. Inc.**  
Contact person: **Naoya Matshushiro**  
1-203 Tsuchihara Tenpaku,  
Nagoya 468-0026  
**JAPAN**  
Phone: +81 52 809 3101  
Fax: +81 52 809 3102  
E-mail: naoya@edit.ne.jp  
http://www.edit.ne.jp/~jcn/flatwater



**KOREA CANOE Co., Ltd.**  
Contact person: **Yong-Soo Park**  
**KOREA**  
Phone: +82 11 798 8347  
E-mail: hpsps@hitel.net



Representative for **LITHUANIA, BELARUS, ESTONIA, LATVIA and KALININGRAD distr. of RUSSIA**  
**BRACA-SPORT - LITHUANIA**  
Contact person: **Arūnas Tomkevičius**  
Taikos pr. 159/A, LT-52102 Kaunas  
**LITHUANIA**  
Phone: +370 37 474 033  
Fax: +370 37 474 035  
E-mail: braca-lt@braca-sport.com  
http://www.braca-sport.com



Representative for **MACEDONIA, MONTENEGRO and SERBIA**  
**KAYAK HOUSE d.o.o.**  
Contact person: **Ervin Šandor**  
Milenko Našagačin  
Mob.phone: +381 638 929 731  
+381 638 367 011  
21000 Novi Sad  
**SERBIA**  
E-mail: office@kayakhouse.rs



**COMERCIALIZADORA NUUK SA DE CV**  
Contact person: **Paola Hernandez**  
Pilares 503-303, Del Vall, Benito Juárez,  
03100 México, D. F.,  
**MÉXICO**  
Phone: +52 55 5216 2563  
Fax: +52 55 5672 9936  
Mob.phone: +52 045 55 5507 2046  
E-mail: dkanuo@gmail.com  
http://www.kanuo.com



**KANOCENTRUM ARJAN BLOEM VOF**  
Contact persons: **Arend Bloem**  
and **Arjan Bloem**  
Poelweg 1 B, 1531 MD Wormer  
**THE NETHERLANDS**  
Phone: +31 75 621 8805  
Fax: +31 75 621 5485  
Mob.phone: +31 653 493 353  
E-mail: info@kajak.nl  
http://www.kajak.nl



**FERGS KAYAKS**  
Contact person: **Ian Ferguson**  
12 Tamaki Drive, Okahu Bay  
Auckland  
**NEW ZEALAND**  
Phone: +64 21 524 653  
E-mail: ian@fergskayaks.co.nz



**MILSLUKER'N SPORT**  
Contact persons: **Eirik Bentzen**  
and **Roar Thorrud**  
Ullevål Stadion, Songsveien 75,  
0855 Oslo  
**NORWAY**  
Phone: +47 23 264 430  
Fax: +47 23 264 431  
Mob.phone: +47 91 615 320  
+47 90 060 564  
E-mail: milslukem@c2i.net  
http://www.milslukern.no



**OLIMPIJCZYK BIS**  
Contact person: **Ireneusz Pracharczyk**  
Os. Stefana Batorego 13/6,  
60-678 Poznań  
**POLAND**  
Phone/Fax: +48 618 218 871  
Mob.phone: +48 607 689 263  
E-mail: pracharczyk@kanadyjkarze.pl  
paulapracharczyk@gazeta.pl  
www.olimpijczyk.org  
www.kanadyjkarze.pl



**NELO - M.A.R. KAYAKS**  
Rua das Alminhas,  
4485-060 Canidelo VCD,  
Vila do Conde  
**PORTUGAL**  
Phone: +351 22 927 2608  
+351 22 928 0924  
Fax: +351 22 927 2709  
E-mail: nelo@nelo.eu  
http://www.mar-kayaks.pt



**NELO-BRACA.RUS**  
Contact person: **Alexander Bakharev**  
Krylatskaja street 2,  
Rowing canal "Krylatskoe"  
Office "Braca paddles in Russia"  
121552 Moscow  
**RUSSIA**  
Phone/Fax: +7 495 453 7728  
Mob.phone: +7 916 160 8242  
E-mail: bylka\_2000@mail.ru



**TROPICAL FIBREGLASS Co**  
Contact person: **Billy Koh**  
Blk.1, YS-ONE, Yishun St. 23, #07-20  
**SINGAPORE** 768441  
Phone: +65 6752 7611  
Fax: +65 6852 0537  
Mob.phone: +65 9668 3525  
E-mail: canoe@singnet.com.sg  
http://www.tropical-fibreglass.com



**NELOMANIA d.o.o.**  
Contact Person: **Stjepan Janic**  
Bidovceva ulica 22C, 6000 Koper  
**SLOVENIA**  
Mob.phone: +386 40 457 230  
E-mail: nelomania2011@gmail.com



**KAYAK RACING**  
Contact Person: **Malcolm Stothard**  
5 Mpande Road, Sebenza  
Edenvalle 1609, Johannesburg, Gauteng  
**SOUTH AFRICA**  
Phone: +27 11 452 1724  
Fax: +27 11 452 2811  
Mob.phone: +27 82 446 7984  
E-mail: malcolm@kayakracing.co.za  
info@setpaddles.co.za  
www.kayakracing.co.za  
www.setpadles.co.za



**NAUTICALIA S.L.**  
Equipamentos y servicios deportivos  
Contact persons: **Eduardo Sousa**  
and **Mercedes Martin**  
Avd. Portugal, 22,  
Bajo 36700 Tui - Pontevedra  
**SPAIN**  
Phone/Fax: +34 986 603 287  
Mob.phone: +34 606 332 519  
+34 629 285 636  
E-mail: info@nauticalia.es  
http://www.nauticalia.es



**REVAL KAYAKS**  
Contact persons: **Douglas Annerling**  
+46 734 2525 12  
**Martina Johansson**  
+46 734 2525 13  
**Jan Bengtsson**  
+46 734 2525 15  
Metodvägen 10  
SE-435 33 Mölnlycke (Göteborg)  
**SWEDEN**  
Fax: +46 31 88 1325  
E-mail: info@revalkayaks.se  
http://www.revalkayaks.se



**RUDYWOLF Co., Ltd.**  
Contact person: **Rudy Chan**  
S2F, No. 298, Dayeh Rd,  
Beitou Distr., Taipei City 112  
**TAIWAN (REPUBLIC OF CHINA)**  
Phone: +886 2 2898 1955  
Fax: +886 2 2893 5190  
E-mail: service@rudywolf.com  
http://www.rudywolf.com



**DESSA-SPORT**  
Contact person: **Yevchenko Oleksandr**  
S.Pirilimanskoe, Ul. Nova 54,  
Ovidiopol'skiy Rayon,  
Odeskaya Obl. 67820  
**UKRAINE**  
Phone: +380 48 514 2267  
Phone/Fax: +380 48 514 2267  
Mob.phone: +380 50 522 3193  
+380 97 854 0373  
E-mail: dessa\_sport@uptel.net



**ULTIMATE KAYAKS Ltd.**  
Contact person: **Ivan Lawler**  
47 Chobham road, Ottershaw  
Surrey KT16 0QE  
**UNITED KINGDOM**  
Phone: +44 19 3288 3796  
Mob.phone: +44 78 3169 8150  
E-mail: sales@ultimatekayaks.co.uk  
http://www.ultimatekayaks.co.uk



Representative for **CENTRAL & WESTERN CANADA, CHILE, VENEZUELA and USA**  
**BRACA SPORT CORPORATION**  
3960 Howard Hughes Parkway, 5th Floor  
Las Vegas, NV 89169  
**UNITED STATES**  
Phone: +1 (800) 985 9339 (toll free)  
Fax: +1 (800) 985 7834  
E-mail: info@braca-sport.us  
http://www.paddles.braca-sport.us